

ISO 9001:2015


H.D.TRAILERS PRIVATE LIMITED

Manufacturer / Suppliers of Trailer Parts

MAKE IN INDIA



Branches: Raipur | Gandhidham | Vadodara | Jamshedpur | Singrauli | Rourkella | Jaipur | Kolkatta | Namakkal



CONTENTS

- **Company Profile**1
- **Axle Series & Features**.....3
- **USP’S**.....4
- **Machineries & Our Infrastructure**5
 - i) Exploded View of Axle7
 - ii) Outboard & Inboard Drum Axle8
 - iii) Car Carrier Axle9
 - iv) Low-Loader Axle & American Type Axle Tube10
- **Exploded View Suspension**.....11
 - i) American Type Suspension (13 T)12
 - ii) American Type Suspension (16 T)13
 - iii) Air Suspension & Bogie Suspension14
 - iv) Argo Bogie Suspension15
 - v) Pneumatic Axle Lifting System16
- **Trailer Landing Gear**17
 - i) Landing Gear & Fifth Wheel18
- **Trailer King Pin**19
 - i) Welded King & Bolt-in King Pin20
- **Wheel Rim**21
- **Trailer Axle Parts**22
- **Trailer Suspension & Other Trailer Parts**23
- **Sales & Services Network**.....24



COMPANY PROFILE

H.D. Trailers Pvt. Ltd is one of the leading and reliable manufacturer and supplier of Heavy Duty, High Quality Trailer Parts and Spares in domestic as well as international market like Dubai, Saudi Arabia, Bangladesh Kenya & other countries etc. HDTPL, incorporated in 2011, has established itself in short span of time through out the country and built a brand “HDTPL”.

HDTPL has two manufacturing units with monthly production/ assembling capacity of 3000 Trailer Axles, 500 Trailer Suspensions and 100 Running Gears. In addition to we have develop the product German type Suspension for which protection capacity 200 sets for month Saudi Arabia & African Countries.

HDTPL is a quality manufacturer and supplies high performance products and strongly believe in “Serving Quality, Durable and Low Maintenance Product at Competitive Price, at Convenient Location with Prompt and Timely Service.” HDTPL’s products are approved by ARAI (Automotive Research Association of India) and ICAT (The International Center for Automotive Technology).

HDTPL is licensed manufactures of all types of Semi-Trailers which can be used in Solid, Gas and Liquid (includes Chemical and Oil) Tanker transportation.

HDTPL customer centric company with focus on client satisfaction, The product and services offered by HDTPL are best in the Industry and differentiate from other competitors because of its nationwide reach and pre and post sales service. Also, HDTPL promotes innovation, developing and improvising its product offering to the market.

Application:

The Company is dealing with mainly Axle, Suspension, Leaf Spring, Landing Leg, King Pin and Wheel Rim which are used for manufacturing of all type of Trailers, Semi Trailers, Tanker Trailers, Running Gears, Chassis Carriers, Car Carriers, Construction Equipment, Tip Trailers, Bulklers & Defense Trailers which are used for carrying Container, Chassis, Truck, Car, Cement movement, Gas movement, Defense equipment movement and other Heavy Material Transportation.

Why HDTPL:

- I. Management: The Management is having experience of more than 15 years in Trailer industry.
- II. Sales & Marketing: HDTPL's sales team comprises of 40 executives located throughout the country. They are experienced, customer friendly and well versed of the industry and its dynamics.
- III. Design: "HDTPL's in-house design facility helps to customize products". We have dedicated staff that develop and design product as per our customer requirement.
- IV. Production & Service: Company is having more than 100 skilled, laborious and efficient staff in various departments of the Company.
- V. Quality: Company's is having ISO 9001:2015 certification. It maintains International Quality Standard for Indian as well international market. HDTPL has highly educated Quality Inspection and testing team ensures best quality production the plant. The Company has applied TS16949 which is under process.

Location:-

HDTPL's Head Office is located in heart of the transport market of Maharashtra that is Kalamoli, Navi Mumbai. HDTPL has two factory units; both are located in Additional MIDC, Patalganga, Maharashtra. The Company also is having the Branches in eight states namely Chhattisgarh (Raipur & Korba), Jharkhand (Jamshedpur), West Bengal (Kolkata), Gujarat (Gandhidham & Vadodara), Madhya Pradesh (Singrauli), Orissa (Raurkella), Rajasthan Ajmer and Tamil Nadu (Namakkal).

Our Mission: -

Company's main mission is customer satisfaction. All customer should satisfied with our products and pre & post sales services.

The company follows gandhian customer centric philosophy in customer services.

"We are not doing him a favour by serving him. He is doing us a favour by giving us an opportunity to do so."

Speech given by - Mahatma Gandhi.

Our Vision : -

HDTPL to be Market Leader in Trailer Parts industries in india by 2020 & across the world by 2025.

For inquiry: +91-22-27424666 / 27426822
headoffice@hdtplindia.com / www.hdtplindia.com

Axle Series & Features



***First-class product quality
Prices of win-win co-operation
Meticulous and
thoughtful services***

- High Quality low-alloy single piece axle tube with strong carrying capacity and high bending strength.
- The axle tube is tempered as a whole, quenched optimally and then finished by high-precision machinery.
- Environmental non-asbestos brake liner increases the life of the Axle by 25%.
- Strong interchangeable brake components and S-camshaft make action more flexible and reliable.
- Lithium based, Mobil XHP222 grease makes the Axle run longer without any maintenance, we warranty for 1 lac km.
- Steel hub cap designed uniquely with special O-Ring, which is leak proof.
- ABS is optional feature of our axle.
- Out-board Brake Drum and Hub are distinct and separable, which makes is easy maintain and repair.
- In-Board Brake Drum is available on demand.
- German Axle is available on demand.
- Axles with varying capacities can be made available as per the customer need and demand.
- Axles of customized length can be served as per the specifications of the customer .

-: USP's :-

HDTPL Axle :-

1. HDTPL offers American Standard (USA-FMBSS-121 and AUSTRALIAN DESIGN RULE 38) axle made with single piece tube (that is without any Joint) manufactured with proper heat treatment, forging, hydraulic pressing (round to square), hardening and micro-level straightening of axle tube.
2. HDTPL Axles are greased with Lithium based lubricant, thus, not requires lubrication up to 1,00,000 Km.
3. Hubs and Drums are made of superior quality casting material with meticulous machining, finishing and foundry work. These hubs & drums are supplied throughout the globe including OEMs.
4. HDTPL uses high quality brake liners, imported from germany, are non-asbestos, water proof, corrosion-free, non breakable and has long life.
5. The bolts and nuts used in HDTPL Axles are high tensile product.
6. Every forged item is passed through stringent testing process.
7. HDTPL Axle was approved by ARAI up to 30 Ton static load capacity (which is maximum testing capacity of ARAI) in single axle.
8. HDTPL Axle is approved by ARAI and ICAT for brake testing as per Trailer Code.

HDTPL Suspension:

1. HDTPL's Suspension is one of the branded and preferred (American Standard) suspensions manufactured in India. HDTPL is direct vendor to several OEMs for suspensions.
2. HDTPL uses high grade of steel material with the advance technology making it light - weight and durable.
3. HDTPL uses high-tech equipment for making all types of hangers.
4. HDTPL uses well-hardened 70 mm equalizer pin in middle hanger augmenting strength durability of the suspension.
5. HDTPL also uses 5mm thick equalizer bush made of bi-metal (inner of bronze) with proper lubrication system.
6. HDTPL uses properly casted material parts, which are best suited for the trailer suspension.
7. HDTPL uses tri-layer metal-rubber-metal balance rod bush increasing life of rod bush.
8. HDTPL uses 24 mm internal diameter round shape U bolt with double nuts & high grade material
9. HDTPL uses all nut and bolts in suspension made of high-grade material.
10. HDTPL uses high quality material spring leaf.
11. HDTPL Suspensions are approved in ARAI/ ICAT for vehicle testing (for Trailer Code).

Our Infrastructure



Axle Assembly Crane



CNC Plazma Cutting Machine



Hoxo Cutting Machine



Lathe Machine



Over Head Crane



Painting Conveyor



Press Machine



Radial Drill Machine



**Wheel Bolt & Bearing Inner
Surface Fitting**



Assembly Line




Shot Blasting Machine



Finished Products

Exploded View of Axle





Axle Exploded View Details

1	Axle Tube	18	Cam Shaft Washer	33	Wheel Stud
2	Fixed Pin Bush	20	Slack Adjuster	34	Bearing
3	Brake Shoe Roller - Big	21	Circlip Small	35	Brake Drum
4	Grease Nipple	22	Brake Shoe Assy	36	Lock Nut
5	Cam Bush	22.1	Brake Carrier	37	Axle Washer
6	Cam Oil Seal	22.2	Anchor Liner	38	Cotter Pin
7	Cam Washer	22.3	Brake Liner	39	Axle Check Nut
8	Cam Shaft	22.4	Brake Liner Rivet	40	Hub Cap O Ring
9	Circlip Big	23	Solid Pin	41	Hub Cap
10	Cam Bearing	24	Pin Spring Clip	42	Sleeve
11	Cam Grease Nipple	25	Brake Shoe Roller - Small	43	Wheel Nut
12	Cam O Ring	26	Heavy Duty Return Spring	44	Dust Cover
13	Cam Bracket LH	27	Brake Shoe Spring	45	Dust Cover Bolt
14	Bracket RH	28	Slack Adjuster Return Spring	46	Dust Cover Washer
15	M10 x 20 Hex Bolt	29	Hub Oil Seal		
16	M10 x 20 Hex Bolt washer	30	Bearing Cone		
17	M10 x 20 Hex Nut	31	Bearing		
18	M10 x 30 Hex Stud	32	Hub		

Outboard Drum Axle



HDTPL 13 OD




Model No.	Max. Capacity (T)	L2 Track (mm)	Brake(mm)	Bearing	L3 (Spring Seat Installation)	Axle Beam (mm)	L4 Centre Distance of Brake Chamber(mm)	Wheel Fixing			L1 Total Length (mm)	Recommended Wheel	Axle Weight
								Stud	P.C.D (mm)	H (mm)			
HDTPL 13 OD	13	1840	420 x 180	HM518445/10	≥ 930	□150	388	10 x M22 x 2.5 ISO	335	280.8	~ 2180	7.5V-20	361
HDTPL 13 OD	13	1940	420 x 180	HM518445/10	≥ 980	□150	446	10 x M22 x 2.5 ISO	335	281	~ 2284	7.5V-20	363

Inboard Drum Axle



HDTPL 13 ID



Model No.	Max. Capacity (T)	L2 Track (mm)	Brake(mm)	Bearing	L3 (Spring Seat Installation)	Axle Beam (mm)	L4 Centre Distance of Brake Chamber(mm)	Wheel Fixing			L1 Total Length (mm)	Recommended Wheel	Axle Weight
								Stud	P.C.D (mm)	H (mm)			
HDTPL13ID	13	1940	420 x 180	HM518445/10	≥ 930	□150	388	10 x M22 x 2.5 ISO	335	280.8	~ 2280	7.5V-20	361


Note

(1) Optional Track Lengths / Capacity Available (2) Available With ABS Fixing Features (3) Available With M22 x 1.5 Wheel Bolt



Car Carrier Axle



HDTPL 13 CC



Specification	
Track	2620
Tube	ø127×16
Brake	ø420×180
Center Line	987
Stud	20-M22×1.5 ISO
PCD	ø335
H	ø280.8/ø281
Bearing	InnerHM518445/10
	OuterHM518445/10
Camshaft	37teeth L=688
ABS	




Model No.	Max. Capacity (T)	L2 Track (mm)	Brake(mm)	Bearing	L3 (Spring Seat Installation)	Axle Beam (mm)	L4 Centre Distance of Brake Chamber(mm)	Wheel Fixing			L1 Total Length (mm)	Recommended Wheel	Axle Weight
								Stud	P.C.D (mm)	H (mm)			
HDTPL 16 CC	13	2620	420 x 180	HM518445/10	≥1320	●127	987	10 x M22 x 2.5 ISO	335	280.8	~ 2620	7.5V-20	385

Low-Loader Axle



HDTPL 11 LL




Model No.	Max. Capacity (T)	L2 Track (mm)	Brake(mm)	Bearing	L3 (Spring Seat Installation)	Axle Beam (mm)	L4 Centre Distance of Brake Chamber(mm)	Wheel Fixing			L1 Total Length (mm)	Recommended Wheel	Axle Weight
								Stud	P.C.D (mm)	H (mm)			
HDTPL11LL	13	1850	311 x 190	HM518445/10	> 980	● 127	420	10 x M22 x 2.5 ISO	225	175.8	~ 2160	6.5V-15	292

American Type Axle Tube









































HDTPL 13 ATT



American Axle (Without Brake System) Specifications

Model No.	Max. Capacity(T)	A/B (mm)	C (mm)	E x F X (mm)	L (mm)	L1 (mm)	L2 (mm)	L3 (mm)	Weight (kg)
HDTPL13ATT	13	88.9/88.9	3.48"-12UNS	150 x 150 x 12	2108	1644	1297	382	116

Trailer Axle Parts

				
Air Brake Chamber - T 24	Air Brake Chamber - T24X24	Slack Adjuster	Brake Liner	Wheel Nut - M22x2.5
				
Wheel Stud - M22x2.5	Hub	Brake Drum	Anchor Liner	Bearing
				
Hub Cap Steel	Brake Shoe Assembly	Hub Oil Seal	Axle Check Nut	Axle Washer
				
Cam Shaft Cerclip- Big	Cam Shaft Cerclip- Small	Cam Bearing	Quarter Pin	Cam Bush
				
Heavy Duty Return Spring	Brake Shoe Spring	Hub Cap O Ring	Cam Shaft Plain Washer	Bracket Cam Bearing
				
Slack Adjuster Return Spring	Diaphragm Rubber T24	Brake Shoe Roller Small	Brake Shoe Roller Big	Brake Liner Revit
				
Yoke	Came Bearing Oil Seal	Cam Washer	Solid Pin Return Spring	Brake Spider
				
Brake Spider Bush	Grease 2Kgs	Dust Cover	Cam Soft Mounting Bracket	Cam Shaft

Exploded View of Suspension




Suspension Exploded View Details

1	Rear Hanger	19	Radius Rod Bush (Metal)
2	Hex Bolt M16 x 130	20	Hex Bolt M14 x 60
3	Hex Nut M16	21	Adjustable Radius Rod (Big)
4	Spring Washer	22	Adjustable Radius Rod Screw (Big)
5	Sleeve	23	Fix Radius Rod (Big)
6	U Bolt	24	Adjustable Radius Arm End
7	U Clam Plate	25	Adjustable Radius Rod Screw (Small)
8	Leaf Spring Assembly	26	Fix Radius Rod (Small)
9	Axle Top Seat	27	Front Hanger
10	Axle Bottom Seat	28	Teeter Board Pin (Small)
11	Pin Fix Position	29	Equalizer Pin Lock Nut M42
12	Teeter Board Assembly	30	Equalizer Pin Washer
13	U Bolt Nut M 24	31	Equalizer Hanger
14	Hex Bolt M14 x 80	32	Equalizer Bush
15	Seal Washer	33	Equalizer Pin
16	Hex Bolt Spring Washer	34	Equalizer (Zula)
17	Hex Nut M14	35	Hex Bolt M16 x 140
18	Teeter Board Pin (Big)	36	Hex Nut

American Type Suspension



HDTPL 13.2 AQ6




HDTPL 13.2 AQ6 Tandem Suspension With 16 x 90 x 8 Leaf Springs

Model No.	A1 (mm)	A2 (mm)	L1 (mm)	L2 (mm)	L3 (mm)	L4 (mm)	L5 (mm)	H (mm)	Axle load (kg)
HDTPL 13.2AQ6	542	536	485	1310	495	1135	1155	250	13,000 x 2



HDTPL 13.3 AQ6



HDTPL 13.3 AQ6 Tri Suspension With 16 x 90 x 8 Leaf Springs

Model No.	A1 (mm)	A2 (mm)	A3 (mm)	L1 (mm)	L2 (mm)	L3 (mm)	L4 (mm)	L5 (mm)	H (mm)	Axle load (kg)
HDTPL 13.3AQ6	542	536	530	485	1310	495	1135	1155	250	13,000 x 3


Note:

- ❖ Unladen Dimension : "A1, A2, A3" ❖ Laden Dimension : "B1,B2, B3" ❖ Spring quantity is optional ❖ Customer can select site plate thickness 6mm or 8mm
- ❖ The company reserves the rights at any time concrete size should adjusted to the actual one. ❖ U bolt Nuts tightening torque- 490 mm- 588 nm

German Type Suspension 2 Axles




HDTPL 16.2 GQ6



German Type Suspension 3 Axles



HDTPL 16.3 GQ6



Note:


In above this suspension bushed is optionable as per customer demand

Air Suspension




HDTPL 13 AS

American Type Air Suspension





German Type Air Suspension




Bogie Suspension



HDTPL 32 BS




HDTPL 32 BS Single Point Suspension



B Type Cantilever / Argo Bogie Suspension (Four-Axle)




HDTPL 40 ABS



C Type Cantilever / Argo Bogie Suspension (Six-Axle)



HDTPL 80 ABS



Trailer Series



Gas Tanker Trailer



Skeleton Trailer

Trailer Series



Flat Bed Trailer



Semi Bed Trailer

Trailer Series



Double Axle Running Gear



Tripple Axle Running Gear



Tanker Trailer





Trailer Parts



Trailer Suspension Parts

			
<i>Adjustable Radius Rod Front</i>	<i>Fixed Radius Rod Front</i>	<i>Adjustable Radius Rod Rear</i>	<i>Fixed Radius Rod Rear</i>
			
<i>Axle Seat Top</i>	<i>Axle Seat Bottom</i>	<i>Teeter Board Assembly</i>	<i>U Clamp Plate</i>
			
<i>Equalizer Pin Bush</i>	<i>U Bolt</i>	<i>Equalizer Pin</i>	<i>Teeter Board Pin</i>
			
<i>Front Hanger</i>	<i>Center Hanger with Equalizer</i>	<i>Rear Hanger</i>	<i>Radius Rod Bush</i>
			
<i>Spring Leaf</i>	<i>Self Lubricating Equalizer Bush</i>	<i>Radius Rod Bush (36 mm)</i>	<i>Radius Rod End LH - RH</i>

Other Trailer Parts

			
<i>Relay Emergency Valve</i>	<i>Twist Lock</i>	<i>ABS Unit</i>	<i>Pole Wheel</i>

Sales & Services Network



Branches :

★ Chattisgarh (Raipur)	+91 91520 03495
★ Gujrat (Gandhidham & Baroda)	+91 84258 49904
★ Gujrat (Vadodara)	+91 84249 93377
★ Jharkhand (Jamshedpur)	+91 84258 49903
★ Chattisgarh (Korba)	+91 91520 03495
★ Orrisa (Rourkella)	+91 84258 49903
★ Rajasthan (Jaipur)	+91 84258 49905
★ West Bengal (Kolkatta)	+91 84258 49907
★ Tamil Nadu (Namakkal)	+91 84229 05705



Certification:



Regd. Office : B-721 / 722, 7th Floor, Steel Chamber, Steel Market, Kalamboli, Navi Mumbai - 410 218. Maharashtra.

Factory : Unit 1: Plot No N-38, Additional MIDC, Patalganga, Karade Budruk - 410 207. Maharashtra

Unit 2: Plot No E-7/1, Additional MIDC, Patalganga, Karade Budruk - 410 207. Maharashtra

Tel.: +91-22-27424666 / 27426822 | **Email :** headoffice@hdtplindia.com

Service Toll Free No.: 1800 22 68 22 / 8422920320

Web.: www.hdtplindia.com